

Annual Disclosure of Risk-o-meters, Product Labelling ('Risk-o-meter') for all schemes of TRUST Mutual Fund as on March 31, 2023 and number of times the risk level has changed during the FY 22-23: (pursuant to SEBI circular No. SEBI/HO/IMD/DF3/CIR/P/2020/197 dated October 05, 2020)

Scheme Name	Risk-o-meter Level as on 1 st April 2022*	Risk-o-meter Level as on 31 st March 2023	Number of Changes in Risk- o-meter during April 01, 2022 to March 31, 2023
TRUSTMF Banking and PSU Debt Fund (Inception Date: 1st February 2021)	RISKOMETER Investors understand that the principal will be at moderate risk	RISKOMETER Investors understand that the principal will be at moderate risk	NIL
TRUSTMF Liquid Fund (Inception Date: 23 rd April 2021)	Investors understand that the principal will be at low to moderate risk	Investors understand that the principal will be at low to moderate risk	NIL
TRUSTMF Short Term Fund (Inception Date: 6 th August 2021)	Investors understand that the principal will be at low to moderate risk	RISKOMETER Investors understand that the principal will be at moderate risk	3
TRUSTMF Overnight Fund (Inception Date: 19 th January 2022)	RISKOMETER Investors understand that the principal will be at low risk	RISKOMETER Investors understand that the principal will be at low risk	NIL
TRUSTMF Money Market Fund (Inception Date: 17 th August 2022)	Investors understand that the principal will be at low to moderate risk	Investors understand that the principal will be at low to moderate risk	NIL
TRUSTMF Corporate Bond Fund (Inception Date: 20 th January 2023)	RISKOMETER Investors understand that the principal will be at moderate risk	RISKOMETER Investors understand that the principal will be at moderate risk	2
TRUSTMF Fixed Maturity Plan Series II (1196 Days) (Inception Date: 31st March 2023)	RISKOMETER Investors understand that the principal will be at high risk	RISKOMETER Investors understand that the principal will be at high risk	NIL

^{*}Please note that in case of schemes launched during the financial year 2022-23, the riskometer level considered is as of the inception date.